Author Index

Abbott, L. K. (see Jasper, D. A.), 473
Adams, M. A. (see Attiwill, P. M.), 561
Agnew, A. D. Q., Rapson, G. L., Sykes, M. T. & Bastow Wilson, J., The functional ecology of *Empodisma minus* (Hook f.) Johnson & Cutler in New Zealand ombrotrophic mires, 703
Aloni, R. (see Lev-Yadun, S.), 339
Al Wadi, H. & Richards, A. J., Primary homostyly in *Primula* L. subgenus *Sphondylia* (Duby) Rupr. and the evolution of distyly in *Primula*, 329
Apostolakos, P. & Galatis, B., Interphase and preprophase microtubule organization in some polarized cell types of the liverwort *Marchantia paleacea* Bert., 409
Armstrong, R. A., Factors determining lobe growth in foliose lichen thalli, 675
Arnebrant, K., Ek, H., Finlay, R. D. & Söderström, B., Nitrogen translocation between *Alnus glutinosa* (L.) Gaertn. seedlings inoculated with *Frankia* sp. and *Pinus contorta* Doug. ex Loud seedlings connected by a common ectomycorrhizal mycelium, 231
Ashton, J. E. (see Cairns, A. J.), 381
Attiwill, P. M. & Adams, M. A., Tansley Review No. 50. Nutrient cycling in forests, 561
Bancal, P. & Gaudillère, J. P., Pattern of fructan synthesized in cell-free extracts from leaf blades of chilled *Triticum aestivum*, 375
Barceló, A. R. (see Calderón, A. A.), 455
Bastow Wilson, J. (see Agnew, A. D. Q.), 703
Begon, M. (see Bullock, J. M.), 301
Bennett, J. H. (see Chatterton, N. J.), 389
Bergman, B. (see Janson, S.), 149
Black, C. R. (see Bosac, C.), 439
Black, V. J. (see Bosac, C.), 439
Bonello, P., Heller, W. & Sandermann, H. Jr, Ozone effects on root-disease susceptibility and defence responses in mycorrhizal and non-mycorrhizal seedlings of Scots pine (*Pinus sylvestris* L.), 653
Bosac, C., Black, V. J., Black, C. R., Roberts, J. A. & Lockwood, F., Impact of O_3 and SO_2 on reproductive development in oilseed rape (*Brassica napus* L.). I. Pollen germination and pollen tube growth, 439
Bouwmeester, H. J. & Karssen, C. M., Annual changes in dormancy and germination in seeds of *Sisymbrium officinale* (L.) Scop., 179
Bowler, J. M. & Press, M. C., Growth responses of two contrasting upland grass species to elevated CO_2 and nitrogen concentration, 515
Bowley, S. R. (see Bradbury, S. M.), 665
Bradbury, S. M., Peterson, R. L. & Bowley, S. R., Further evidence for a correlation between nodulation genotypes in alfalfa (*Medicago sativa* L.) and mycorrhiza formation, 665
Broad, S. A. (see Fisher, P. J.), 101
Buckland, S. T. (see Thornton, B.), 689
Bullock, J. M., Mortimer, A. M. & Begon, M., Carryover effects on the clonal growth of the grass *Holcus lanatus* L., 301
Burney, D. A. & Burney, L. P., Modern pollen deposition in cave sites: experimental results from New York State, 523
Burney, L. P. (see Burney, D. A.), 523
Cairns, A. J. & Ashton, J. E., Species-dependent patterns of fructan synthesis by enzymes from excised leaves of oat, wheat, barley and timothy, 381
Calderón, A. A., Zapata, J. M., Muñoz, R., Pedreño, M. A. & Barceló, A. R., Resveratrol production as a part of the hypersensitive-like response of grapevine cells to an elicitor from *Trichoderma viride*, 455
Callow, J. A. (see Green, J. R.), 397
Cape, J. N. (see Sheppard, L. J.), 595, 607
Cechin, I. & Press, M. C., Nitrogen relations of the sorghum–*Striga hermonthica* host–parasite association: germination, attachment and early growth, 681
Chalamet, A. (see Grundmann, G. L.), 259
Chamel, A. (see Gouret, E.), 423
Chatterton, N. J., Harrison, P. A., Thornley, W. R. & Bennett, J. H., Structure of fructan oligomers in cheatgrass (*Bromus tectorum* L.), 389
Clark, J. S. C. & Spencer-Phillips, P. T. N., Accumulation of photoassimilate by *Peronospora viciae* (Berk.) Casp. and leaves of *Pisum sativum* L.: evidence for nutrient uptake via intercellular hyphae, 107
Clegg, C. D. (see Fisher, P. J.), 101
Cosgrove, D. J., Tansley Review No. 46. Wall extensibility: its nature, measurement and relationship to plant cell growth, 1
Coutts, M. P. & Nicoll, B. C., Orientation of the lateral roots of trees. II. Hydrotropic and gravitropic responses of lateral roots of Sitka spruce grown in air at different humidities, 277
Craigon, J. (see Wiltshire, J. J. J.), 433
Deising, H. (see Mendgen, K.), 193
Dilworth, M. J. (see Wroth, J. M.), 243
Dong, M., Morphological plasticity of the clonal herb *Lamiastrum galeobdolon* (L.) Ehrend. & Polatschek in response to partial shading, 291
Duff, E. I. (see Thornton, B.), 689
Ek, H. (see Arnebrant, K.), 231
Eshel, A. (see Shani, U.), 695
Finlay, R. D. (see Timonen, S.), 83
——, (see Arnebrant, K.), 231
Fisher, P. J., Broad, S. A., Clegg, C. D. & Lappin Scott, H. M., Retention and spread of a genetically engineered pseudomonad in seeds and plants of *Zea mays* L. – a preliminary study, 101
Flückiger, W. (see Sury, von R.), 447
Frey, B. & Schüepp, H., Acquisition of nitrogen by external hyphae of arbuscular mycorrhizal fungi associated with *Zea mays* L., 221
Gadd, G. M., Tansley Review No. 47. Interactions of fungi with toxic metals, 25
Galatis, B. (see Apostolakos, P.), 409
Gallon, J. R., Pederson, D. M. & Smith, G. D., The effect of temperature on the sensitivity of nitrogenase to oxygen in the cyanobacteria *Anabaena cylindrica* (Lemmermann) and *Gloeothece* (Nägeli), 251
Gantar, M., Kerby, N. W. & Rowell, P., Colonization of wheat (*Triticum vulgare* L.) by N_2-fixing cyanobacteria: III. The role of a hormogonia-promoting factor, 505
Gaudillère, J. P. (see Bancal, P.), 375
Gouret, E., Rohr, R. & Chamel, A., Ultrastructure and chemical composition of some isolated plant cuticles in relation to their permeability to the herbicide, diuron, 423
Green, J. R., Stafford, C. J., Jones, J. L., Wright, P. J. & Callow, J. A., Binding of monoclonal antibodies to vegetative tissue and fucose-containing polysaccharides of *Fucus serratus* L., 397
Grundmann, G. L., Lensi, R. & Chalamet, A., Delayed NH_3 and N_2O uptake by maize leaves, 259
Guzy, M. R. & Heath, R. L., Responses to ozone of varieties of common bean (*Phaseolus vulgaris* L.), 617
Harrison, P. A. (see Chatterton, N. J.), 389
Hawkins, H.-J. & Lewis, O. A. M., Combination effect of NaCl salinity, nitrogen form and calcium concentration on the growth, ionic content and gaseous exchange properties of *Triticum aestivum* L. cv. Gamtoos, 161
——, Lewis, O. A. M., Effect of NaCl salinity, nitrogen form, calcium and potassium concentration on nitrogen uptake and kinetics in *Triticum aestivum* L. cv. Gamtoos, 171
Heath, R. L. (see Guzy, M. R.), 617
Heller, W. (see Bonello, P.), 653
Jacquard, P. (see Sato, T.), 309
——, (see Maceira, N. O.), 321
Jakobsen, I. (see Johansen, A.), 61
——, (see Pearson, J. N.), 481, 489
Janson, S., Rai, A. N. & Bergman, B., The marine lichen *Lichina confinis* (O. F. Müll.) C. Ag.: ultrastructure and localization

of nitrogenase, glutamine synthetase, phycoerythrin and ribulose 1,5-bisphosphate carboxylase/oxygenase in the cyanobiont, 149
JASPER, D. A., ABBOTT, L. K. & ROBSON, A. D., The survival of infective hyphae of vesicular–arbuscular mycorrhizal fungi in dry soil: an interaction with sporulation, 473
JENSEN, E. S. (see JOHANSEN, A.), 61
JOHANSEN, A., JAKOBSEN, I. & JENSEN, E. S., External hyphae of vesicular–arbuscular mycorrhizal fungi associated with *Trifolium subterraneum* L. 3. Hyphal transport of ^{32}P and ^{15}N, 61
JONES, J. L. (see GREEN, J. R.), 397
JONES, R. A. C. (see WROTH, J. M.), 243
KARSSEN, C. M. (see BOUWMEESTER, H. J.), 179
KERBY, N. W. (see GANTAR, M.), 505
LAPPIN SCOTT, H. M. (see FISHER, P. J.), 101
LEITH, I. D. (see SHEPPARD, L. J.), 595, 607
LENSI, R. (see GRUNDMANN, G. L.), 259
LEV-YADUN, S. & ALONI, R., Effect of wounding on the relations between vascular rays and vessels in *Melia azedarach* L., 339
LEWIS, D. H., Nomenclature and diagrammatic representation of oligomeric fructans – a paper for discussion, 583
LEWIS, O. A. M. (see HAWKINS, H.-J.), 161, 171
LINDROTH, R. L., REICH, P. B., TJOELKER, M. G., VOLIN, J. C. & OLEKSYN, J., Light environment alters response to ozone stress in seedlings of *Acer saccharum* Marsh. and hybrid *Populus* L. III. Consequences for performance of gypsy moth, 647
LOCKWOOD, F. (see BOSAC, C.), 439
LUCAS, P. W., RANTANEN, L. & MEHLHORN, H., Needle chlorosis in Sitka spruce following a three-year exposure to low concentrations of ozone: changes in mineral content, pigmentation and ascorbic acid, 265
LUMARET, R. (see SATO, T.), 309
——, (see MACEIRA, N. O.), 321
MACEIRA, N. (see SATO, T.), 309
MACEIRA, N. O., JACQUARD, P. & LUMARET, R., Competition between diploid and derivative autotetraploid *Dactylis glomerata* L. from Galicia. Implications for the establishment of novel polyploid populations, 321
MACNAIR, M. R., Tansley Review No. 49. The genetics of metal tolerance in vascular plants, 541
MASSICOTTE, H. B. (see O'DELL, T. E.), 93
MEHLHORN, H. (see LUCAS, P. W.), 265
MENDGEN, K. & DEISING, H., Tansley Review No. 48. Infection structures of fungal plant pathogens – a cytological and physiological evaluation, 193
MILLARD, P. (see THORNTON, B.), 689
MOREAU, J. D. (see SIMONEAU, P.), 495
MORTIMER, A. M. (see BULLOCK, J. M.), 301
MUÑOZ, R. (see CALDERÓN, A. A.), 455
NICOLL, B. C. (see COUTTS, M. P.), 277
OBERWINKLER, F. (see SCHMID, E.), 69
O'DELL, T. E., MASSICOTTE, H. B. & TRAPPE, J. M., Root colonization of *Lupinus latifolius* Agardh. and *Pinus contorta* Dougl. by *Phialocephala fortinii* Wang & Wilcox, 93
OLEKSYN, J. (see TJOELKER, M. G.), 627
——, (see VOLIN, J. C.), 637
——, (see LINDROTH, R. L.), 647
OLIVEIRA, L. (see TORNBOM, L.), 121, 135
PARSONS, A. N. (see SEEL, W. E.), 283
PEARSON, J. N. & SCHWEIGER, P., *Scutellospora calospora* (Nicol. & Gerd.) Walker & Sanders associated with subterranean clover: dynamics of colonization, sporulation and soluble carbohydrates, 215
——, JAKOBSEN, I., Symbiotic exchange of carbon and phosphorus between cucumber and three arbuscular mycorrhizal fungi, 481
——, JAKOBSEN, I., The relative contribution of hyphae and roots to phosphorus uptake by arbuscular mycorrhizal plants, measured by dual labelling with ^{32}P and ^{33}P, 489
PEDERSON, D. M. (see GALLON, J. R.), 251
PEDREÑO, M. A. (see CALDERÓN, A. A.), 455
PETERSON, R. L. (see BRADBURY, S. M.), 665
PRESS, M. C. (see SEEL, W. E.), 283
——, (see BOWLER, J. M.), 515
——, (see CECHIN, I.), 681
RAI, A. N. (see JANSON, S.), 149
RANTANEN, L. (see LUCAS, P. W.), 265
RAPSON, G. L. (see AGNEW, A. D. Q.), 703
RAUDASKOSKI, M. (see TIMONEN, S.), 83
REICH, P. B. (see TJOELKER, M. G.), 627
——, (see VOLIN, J. C.), 637
——, (see LINDROTH, R. L.), 647
RICHARDS, A. J. (see AL WADI, H.), 329
ROBERTS, J. A. (see BOSAC, C.), 439
ROBSON, A. D. (see JASPER, D. A.), 473
ROHR, R. (see GOURET, E.), 423
ROWELL, P. (see GANTAR, M.), 505
SANDERMANN, H. Jr (see BONELLO, P.), 653
SATO, T., MACEIRA, N., LUMARET, R. & JACQUARD, P., Flowering characteristics and fertility of interploidy progeny from normal and 2*n* gamates in *Dactylis glomerata* L., 309
SCHMID, E. & OBERWINKLER, F., Mycorrhiza-like interaction between the achlorophyllous gametophyte of *Lycopodium clavatum* L. and its fungal endophyte studied by light and electron microscopy, 69
SCHÜEPP, H. (see FREY, B.), 221
SCHWEIGER, P. (see PEARSON, J. N.), 215
SEEL, W. E., PARSONS, A. N. & PRESS, M. C., Do inorganic solutes limit growth of the facultative hemiparasite *Rhinanthus minor* L. in the absence of a host?, 283
SHANI, U., WAISEL, Y., ESHEL, A., XUE, S. & ZIV, G., Responses to salinity of grapevine plants with split root systems, 695
SHEPPARD, L. J., CAPE, J. N. & LEITH, I. D., Influence of acidic mist on frost hardiness and nutrient concentrations in red spruce seedlings. 1. Exposure of the foliage and the rooting environment, 595
——, CAPE, J. N., LEITH, I. D., Influence of acidic mist on frost hardiness and nutrient concentrations in red spruce seedlings. 2. Effects of misting frequency and rainfall exclusion, 607
SIMONEAU, P., VIEMONT, J. D., MOREAU, J. D. & STRULLU, D. G., Symbiosis-related polypeptides associated with the early stages of ectomycorrhiza organogenesis in birch (*Betula pendula* Roth), 495
SMITH, G. D. (see GALLON, J. R.), 251
SÖDERSTRÖM, B. (see TIMONEN, S.), 83
——, (see ARNEBRANT, K.), 231
SPENCER-PHILLIPS, P. T. N. (see CLARK, J. S. C.), 107
STAFFORD, C. J. (see GREEN, J. R.), 397
STRIBLEY, D. P. (see WANG, G. M.), 465
STRULLU, D. G. (see SIMONEAU, P.), 495
SURY, von R. & FLÜCKIGER, W., Effects of acid, or ammonium-enriched, artificial mist on leaf blight of London plane [*Platanus* × *acerifolia* (Ait.) Willd.] and on the behaviour of the causal fungus, *Apiognomonia veneta* (Sacc. & Speg.) Höhn, 447
SYKES, M. T. (see AGNEW, A. D. Q.), 703
THORNLEY, W. R. (see CHATTERTON, N. J.), 389
THORNTON, B., MILLARD, P., DUFF, E. I. & BUCKLAND, S. T., The relative contribution of remobilization and root uptake in supplying nitrogen after defoliation for regrowth of laminae in four grass species, 689
TIMONEN, S., FINLAY, R. D., SÖDERSTRÖM, B. & RAUDASKOSKI, M., Identification of cytoskeletal components in pine ectomycorrhizas, 83
TINKER, P. B. (see WANG, G. M.), 465
TJOELKER, M. G., VOLIN, J. C., OLEKSYN, J. & REICH, P. B., Light environment alters response to ozone stress in seedlings of *Acer saccharum* Marsh. and hybrid *Populus* L. I. *In situ* net photosynthesis, dark respiration and growth, 627
——, (see VOLIN, J. C.), 637
——, (see LINDROTH, R. L.), 647
TORNBOM, L. & OLIVEIRA, L., Wound-healing in *Vaucheria longicaulis* Hoppaugh var. *macounii* Blum. 1. Cytomorphological study of the wound response, 121
——, OLIVEIRA, L., Wound-healing in *Vaucheria longicaulis* Hoppaugh var. *macounii* Blum. 2. Cytoplasmic streaming and organelle movement, 135
TRAPPE, J. M. (see O'DELL, T. E.), 93
UNSWORTH, M. H. (see WILTSHIRE, J. J. J.), 433
VIEMONT, J. D. (see SIMONEAU, P.), 495
VOLIN, J. C. (see TJOELKER, M. G.), 627
——, TJOELKER, M. G., OLEKSYN, J., REICH, P. B., Light environment alters response to ozone stress in seedlings of *Acer saccharum* Marsh. and hybrid *Populus* L. II. Diagnostic gas exchange and leaf chemistry, 637
——, (see LINDROTH, R. L.), 647

WAISEL, Y. (see SHANI, U.), 695
WALKER, C. (see WANG, G. M.), 465
WALLER, M. P., Flandrian vegetational history of south-eastern England. Pollen data from Pannel Bridge, East Sussex, 345
WANG, G. M., STRIBLEY, D. P., TINKER, P. B. & WALKER, C., Effects of pH on arbuscular mycorrhiza I. Field observations on the long-term liming experiments at Rothamsted and Woburn, 465
WILTSHIRE, J. J. J., WRIGHT, C. J., UNSWORTH, M. H. & CRAIGON, J., The effects of ozone episodes on autumn leaf fall in apple, 433
WRIGHT, C. J. (see WILTSHIRE, J. J. J.), 433
WRIGHT, P. J. (see GREEN, J. R.), 397
WROTH, J. M., DILWORTH, M. J. & JONES, R. A. C., Impaired nodule function in *Medicago polymorpha* L. infected with alfalfa mosaic virus, 243
XUE, S. (see SHANI, U.), 695
ZAPATA, J. M. (see CALDERÓN, A. A.), 455
ZIV, G. (see SHANI, U.), 695

Subject Index

Acaulospora laevis, 473
Acer saccharum (sugar maple), 627, 647
Acid mist, 447, 595
Acidic mist, 607
Actin, 83
Agrostis capillaris, 515
Alfalfa mosaic virus, 243
Alfalfa nodulation genotypes, 665
Alnus, 345
Alnus glutinosa, 231
Anabaena, 251
Annual medic, 243
Antioxidants, 617
Apiognomonia veneta, 447
Apple, 433
Appressorium, 193, 665
Arbuscular mycorrhiza, 215, 489
Arbuscular mycorrhizal fungi, 221, 465
Avena sativa (oat), 381
Base exchange, 703
Basipetal transmission of a light stimulus, 291
Benzoic acid, 455
Betula pendula, 495
Biological control, 101
Biosorption, 25
Brassica napus (oilseed rape), 439
Bromus, 389
Ca^{2+}, 161, 171
Calothrix, 149
Carbohydrates, 215
Carbon, 481
Carryover, 301
Caves, 523
Cell wall-degrading enzymes, 193
Cell walls (viscoelasticity), 1
Chlorophyll, 617, 637
Climate, 675
Clonal, 301
CO_2, 515
Coastal peats, 345
Coexistence, 301
Colletotrichum, 193
Colonization, 215, 505
Colonization of roots, 465
Competition, 321
Confocal microscopy, 397
Co-tolerance, 541
Cutinase, 193
Cyanobacterium, 149, 251, 505
Cytoplasmic streaming, 135
Cytoskeleton, 83, 135
Dactylis glomerata, 309, 321
Decomposition, 561
Defence response, 653
Degree of polymerization, 389
Diagrammatic representation, 583
Differentiation, 495
Differentiation-promoter, 505
Distyly, 329
Diuron, 423
Dominance, 541
Dormancy pattern, 179
Ecological genetics, 541
Ectomycorrhiza, 83, 231, 495, 653
Elicitor (cellulase Onozuka R-10), 455
Empodisma minus (wire rush), 703
Epistasis, 541
Establishment, 321
Evolution, 329
External hyphae, 61, 221
Fine endophyte, 465
Flandrian, 345
Flowering characteristics, 309
Foliar leaching, 265
Foliar nutrients, 595
Foraging behaviour, 291
Forest decline, 265
Forests, 561
Frequency, 607
Frost hardiness, 595, 607
Fructan, 375, 381, 389, 583
Fructosyltransferases, 375
Fucus, 397
Fungi, 25
Gametes, 397
Gametophyte, 69
Genetic distance, 309
Genetically engineered pseudomonad, 101
Genetics, 541
Genotype, 301
Germination, 179, 681
Gigaspora, 665
Gloeothece, 251
Glomus, 665
Glomus intraradices, 61
Glossary, 583
Glutamine synthetase, 149
Glycoproteins, 397
Grasses, 689
Grassland, 321
Gravitropism, 277
Growth analysis, 515
Growth biophysics, 1
Haustoria, 107
Healing, 121
Herbicide, 423
Herkogamy, 329
Holcus lanatus, 301
Homomorphism, 329
Hordeum vulgare (barley), 381
Hormogonia, 505
Hydrotropism, 277
Hyphal infectivity, 473
Hyphal inflow, 489
Indirect immunofluorescence microscopy, 83
Induced resistance, 455
Infection hypha, 193
Interploidy progeny, 309
Invertase, 381
Ionic content, 161
Isolated cuticles, 423
Kestins, 583
Kestoses, 583
Lamiastrum galeobdolon, 291
Laminae regrowth, 689
Leaf blight (anthracnose), 447
Leaf fall, 433
Lichen, 675
Lichina confinis, 149
Light response, 637
Liming, 465
Lobe growth, 675
Lobe interactions, 675
Lobe morphology, 675
Lupinus latifolius, 93
Lycopodium clavatum, 69
Lymantria dispar (gypsy moth), 647
Magnaporthe, 193
Major genes, 541
Male fertility, 309
Malus domestica, 433
Marchantia paleacea, 409

Mature tree, 433
Medicago polymorpha, 243
Melia azedarach, 339
Metal tolerance, 541
Metallothioneins, 541
Metals, 25
Microtubules, 409
Mineral nutrients, 265
Mineralization, 561
Mire surface relief, 703
Monoclonal antibody, 397
Mucilage, 397
Mucilage papillae, 409
Mycelium radicis atrovirens, 93
Mycorrhiza, 69, 481
^{15}N, 61
N_2 fixation, 231
N kinetics, 171
N nutrition, 161, 171
^{15}N transport, 221
NaCl, 171
NaCl salinity, 161
Nardus stricta, 515
NH_3, 259
NH_3 metabolism, 259
Nitrogen, 221, 283, 515, 561, 681, 689
Nitrogen translocation, 231
Nitrogenase, 251
NO_2, 259
Nodulation, 243
Nodule function, 243
Nomenclature, 583
Nostoc, 505
Nutrient cycling, 561
Nutrient transport, 107
Nutrition, 283
Ombrotrophism, 703
Open-top chamber, 433
Organelle movement, 135
Oxygen, 251
Ozone, 265, 439, 617, 627, 653
Ozone episodes, 433
Ozone fumigation, 647
^{32}P, 61
P uptake, 489
Para-chloro-mercuribenzene sulphonic acid (PCMBS), 107
Parasitic angiosperm, 283, 681
Partial shading, 291
Particle trapping, 523
Paxillus involutus, 231, 495
Permeability, 423
Peronospora viciae (pea downy mildew), 107
pH, 465
Phaseolus vulgaris (common bean), 617
Phialocephala fortinii, 93
Phleum pratense (timothy), 381
Phosphorus, 283, 481, 561
Photoassimilate accumulation, 107
Photosynthesis, 617, 627, 637
Photosynthetic filament cells, 409
Photosynthetic nitrogen use efficiency, 283
Phytochelatins, 541
Picea sitchensis (Sitka spruce), 265, 277
Pinus contorta, 93
Pinus sylvestris (Scots pine), 653
Plant growth, 1
Plant phenolics, 447
Plant–insect interactions, 647
Platanus × *acerifolia*, 447
Pollen analysis, 523
Pollen germination and growth, 439
Pollutant uptake, 259
Polypeptides, 495
Polyploidy, 321
Polysaccharides, 397
Populus (poplar), 647
Populus tristis × *P. balsamifera* (hybrid poplar), 627
Primula, 329
Radioisotopes, 489
Rainfall partition, 703
Red spruce, 595, 607
Regression model, 179
Remobilization, 689
Respiration, 481, 627
Resveratrol, 455
Root direction, 277
Root disease, 653
Root uptake, 689
Roots, 561
Rubisco, 637
Rust fungi, 193
Saline irrigation, 695
Scutellospora calospora, 473
Sectorial stem, 695
Septate root endophytes, 93
Shade, 627, 637
Sisymbrium officinale, 179
Sorghum bicolor (sorghum), 681
South-eastern England, 345
Spindle-pole body, 69
Split roots, 695
Spores, 215
Sporulation, 473
Stomatal conductance, 617, 637
Stress relaxation, 1
Striga hermonthica, 681
Structures, 389
Sucrose, 375, 381
Sucrose:sucrose fructosyltransferase (SST), 375
Sulphur dioxide, 439
Suspension cell cultures, 455
Symbiosis, 149, 495
Synthesis, 389
Thallus, 397
Thermal shock, 251
Toxicity, 25
Transport, 25
Trichoderma viride, 455
Triticum aestivum (wheat), 161, 171, 375, 381
Trivial names of fructans, 583
Tubulin, 83
Ultrastructure, 69, 423
VA mycorrhizal fungi, 473
VA mycorrhizas, 61
Vascular rays, 339
Vaucheria, 121, 135
Vegetational history, 345
Vesicular–arbuscular mycorrhizal, 665
Vessels, 339
Vitis vinifera (grapevine), 455, 695
Wall expansion, 1
Wall extensibility, 1
Water ascent, 695
Water potential, 277
Water use, 695
Wheat, 505
Wound effects, 339
Wound healing, 135
Wounding, 121
Xylem differentiation, 339
Zea mays (maize), 101, 221, 259